

HOTLINE

LED Tracklight

1165 - 3370 Lumens



Compact and stylish with multiple beam options

The Digilin Hotline series is a super compact LED tracklight with integral driver. The recessed COB LED and aluminium reflector produce excellent light output with reduced glare.


With 90 degree tilt and 360 degree pan plus glare and snoot ring attachments, the Hotline is perfect for retail, display and residential applications.



SPECIFICATIONS

Version	Hotline 15w		Hotline 28w		Hotline 38w	
Colours	Warm White	Neutral White	Warm White	Neutral White	Warm White	Neutral White
Colour Temperature	3000K	4000K	3000K	4000K	3000K	4000K
Luminaire Lumens	1165	1220	2360	2510	3150	3370
Typical CRI	>80 (CRI 90+ Available)					
MacAdams Ellipse	3 SDCM/MacAdam Steps					
Beam Options	15°, 23°, 35°, 55° (55° - 38w Only)					
Performance	70% Lumen Maintenance @ 50,000 Hrs (L70)					
Luminaire Power	12.3w		24.2w		34.5w	
Connected Load	15.1w		28.7w		38.2w	
IP Rating	IP20					
Material	Cast Aluminium Frame & Heatsink					
Finish	White, Black,					
Power Supply	Integral Non-Dimming (Mains Dimming Available for 15w & 28w)					
Power Factor	>0.9					
Weight	487g		870g		1239g	
Mounting	Track Mount (Ceiling Recess and Surface Mount Kits Available)					
Accessories	Glare Ring & Snoot Ring (Barndoors for 28w Version)					

DIMENSIONS



ORDERING CODES

